INDEX OF SUBJECTS

PAGE

ACTINOMYCETES, *Thermopolyspora polyspora* produces only acute inflammatory reaction in guinea-pig lung; plus hay dust produces more severe early reaction, but by 30 days little difference from hay dust alone . . 41
ADENOMAS, tubular, of granulosa cells in carcinogen-fed mice . . . 111
ADJUVANT, complete Freund's, inflammatory response of rainbow trout to at 5° and 15°C 257
incomplete Freund's, injected into footpad of mice, no local plasma-cell production, but increases severity and duration of antibody-forming reaction if injected with TAB vaccine . . 291
AGE, resistance of rats to hepatotoxic effect of lasiocarpine and heliotrine increases with 1
weight of adult pineal gland maintained in old age 31
AGEING responsible for some recorded variations in epithelioid cells . . 187
ALKALOIDS, pyrrolizidine, factors affecting chronic hepatotoxicity of . . 1
AMOSITE fibres, asbestos bodies on in guinea-pig lungs 159
ANEURYSM in pig aorta after experimental thrombosis and medial thinning . 205
ANTIBODY to Ehrlich ascites carcinoma cells possibly absorbed by previous subcutaneous transplant of this tumour, so subsequent intraperitoneal transplant may not be coated with antibody 95
no evidence of deposition in ectopic heart transplants in rat . . . 49
ANTI-INFLAMMATORY DRUGS, non-steroidal, analysis of mode of action of . . 239
ANTI-LYMPHOCYTE SERUM (rabbit anti-guinea-pig ALS) given at same time as immunising injections of muscle and adjuvant probably prevented skin-sensitisation in guinea-pigs; normal serum did not; when ALS added to medium feeding sensitised lymphocytes and muscle cells, no cytotoxicity of lymphocytes demonstrable; normal serum not effective . . . 169
AORTA of normal guinea-pig, mitotic "clutches" in endothelial cells of . 65
pig, medial changes following thrombosis 205
APPENDIX, lymphoid follicles show marked atrophy in kwashiorkor . . 105

PAGE

ARTERY, coronary, myocardial infarction due to ligation of reduces isoprenaline necrosis of myocardium; effect maximal at 48 hr after, still detectable at 2 wk 279
ASBESTOS bodies on amosite, chrysotile and crocidolite fibres in guinea-pig lungs. 159
ATHEROSCLEROSIS, experimentally induced in rabbits, reversibility of; severity of lesions related to serum and aortic cholesterol 229
ATROPHY of liver lobes from ligation of portal vein branches due to massive loss of parenchymal cells through shrinkage necrosis 13
of thymus and lymphoid tissue in kwashiorkor 105
AXONS, axonal degeneration may occur in severe paralytic neuropathy of monkeys developing vitamin-B_{12} deficiency when fed on vegetarian diet . 125
"dying back" of, no evidence of in vitamin-B_{12}-deficiency neuropathy in monkeys fed on vegetarian diets . 125

BACTERIAL SPECIES, *Staphylococcus albus*, killed, inflammatory response in rainbow trout kept at 5° and 15°C . . 257
BRONCHUS, cornifying epidermoid carcinoma with three other simultaneous independent primary malignant tumours. 57

CALCIFICATION often present in thinned media of pig aorta after experimental production of thrombi on aortic endothelium 205
CARCINOGENICITY, rapid test for . . 147
CARCINOMA, basal-celled, crystalline structures in lymphocytes infiltrating stroma of 289
CARRAGEENAN foot-oedema in rat, non-steroid anti-inflammatory drugs most effective in preventing in later stages, especially if mediators for first phase depleted 239
CELLOPHANE strip technique for obtaining cultures of epithelioid cells . . 187
CELLS, mononuclear, emigration *in vitro* reduced by non-steroidal anti-inflammatory drugs 239
CHILDREN with kwashiorkor, marked susceptibility to infection of perhaps related to atrophy of lymphoreticular tissue 105

PAGE

CHOLESTEROL diet, rabbits given develop atherosclerosis; withdrawal after 8 weeks' feeding increases lesions, which after further time regress . . . 229
CHRYSOTILE fibres, asbestos bodies on in guinea-pig lungs 159
granulomas in guinea-pig pleura, dust-containing fibroblasts in show almost all primary lysosomes and phagosomes with acid phosphatase activity. 153
COMPUTER, image intensifier, for calculating area of suppression of sebaceous gland non-specific esterase activity in skin painted with possible carcinogens 147
COUNCILMAN BODIES formed by budding from atrophying hepatic parenchymal cells, capable of limited metabolic activity, ingested by parenchymal cells and histiocytes, degraded by lysosomal enzymes. 13
CROCIDOLITE fibres, asbestos bodies on in guinea-pig lungs 159
CRYSTALLINE STRUCTURES in lymphocytes 289
CYTOCHEMISTRY of autonomous nodular hyperplastic parathyroid glands. . 211

DECIDUA, extra-uterine, in ovary and fallopian tube 219
DEMYELINATION, segmental, main lesion in nerves of monkeys paralysed by vitamin-B_{12}-deficiency neuropathy . 125
DIETS, vegetarian, monkeys fed on may develop vitamin-B_{12} deficiency, if severe even neuropathy and paralysis 125

ELECTRON-MICROSCOPE STUDY of effect of mustard oil on fenestrated vessels of rat small intestine 21
of experimentally induced granulosa-cell tumours of mice 111
of a Wilms' tumour 269
ENDOCRINE hyperactivity of granulosa-cell tumours in mice usually due to non-neoplastic theca-lutein cell components of reaction to tumour, not to tumour cells 111
ENZYMES, acid phosphatase, activity often absent in lysosomes in asbestos granulomas in guinea-pig pleura, almost always present in lysosomes of chrysotile-containing fibroblasts . . 153
non-specific esterases, suppression of in sebaceous glands after painting of skin with polycyclic hydrocarbons proportional to carcinogenic potency of applied material . . . 147
EPITHELIOID CELLS, origin from subcutaneous or peritoneal macrophages of from monocytes; do not phagocytose killed *Staphylococcus albus* or live BCG, but pinocytose polystyrene or colloidal gold, and excrete into extracellular space; life-span 1–4 wk, existence terminated by death or mitotic division into round cells, which mature to young macrophages. 187

FALLOPIAN TUBE, extra-uterine decidua in, rare 219
FARMER'S LUNG, experimental, in guinea-pigs 41
FAT, multilocular, in involuting thymus of rats and mice 223
FENESTRAE in vessels of rat small intestine not location of increased permeability after application of mustard oil; fluid passed out of vessel through reversible gaps between endothelial cells; histamine and LNPF injected into intestinal lumen no effect on mucosal vessels . 21
FIBRE density reduced in nerves of monkeys paralysed by vitamin-B_{12}-deficiency neuropathy . . . 125
FIBROBLASTS containing chrysotile in chrysotile granulomas in guinea-pigs, lysosomes in almost always show acid phosphatase activity . . . 153

GIANT CELLS, multinucleate, in nitrosoquinoline-induced granulomata, produced by fusion of non-proliferating macrophages 285
GRANULOMATA in guinea-pigs due to intrapleural injection of asbestos dust show many lysosomes in dust-containing macrophages without acid phosphatase reaction; fibroblasts containing chrysotile show acid phosphatase activity in almost all primary lysosomes and phagosomes . . . 153
nitrosoquinoline-induced in rats, nature of macrophage population and multinuclear giant cells in 285
GRANULOSA-CELL TUMOURS, variety in mice fed with 9:10-dimethyl-1:2-benzanthracene or 20-methyl cholanthrene . 111
GUINEA-PIG(S) given injection of heterologous muscle homogenates plus adjuvant develop muscle lesions; their lymphocytes are toxic to cultures of syngeneic muscle cells, not to kidney cell cultures 169
granulomata due to intrapleural injection of chrysotile, acid phosphatase activity in lysosomes of dust-containing macrophages and fibroblasts of . . 153
intratracheal injection of hay dust produces lesions like those of farmer's lung; addition of *Thermopolyspora polyspora* to hay dust injected increases acute reaction, but after 30 days little difference 41

PAGE

GUINEA-PIG(S) lung, formation of asbestos bodies on amosite, crocidolite and chrysotile fibres in 159
normal adult, mitotic clutches in aortic endothelial cells of . . . 65

HAEMANGIOMATOSIS of small and large intestine, with histological malignant change 295
HAMARTOMA of spleen associated with thrombocytopenia 62
HAY dust injected intratracheally into guinea-pigs produces lesions very like those of farmer's lung; added *Thermopolyspora polyspora* increases acute reaction, but by 30 days little difference 41
HEART, rat, isoprenaline necrosis reduced by previous coronary artery ligation; effect maximal at 48 hr after ligation, still detectable at 2 wk . . . 279
transplants, ectopic, in rat, morphological changes in isografts less severe and cleared up 5 days after transplantation, in homografts progressive increase, with separation and necrosis of cardiac muscle fibres; no antibody deposition in graft; no effect on recipients' hearts 49
HISTAMINE does not increase permeability of mucosal vessels when injected into lumen of rat small intestine . . 21
HYPERPLASIA, autonomous nodular, of parathyroid glands, associated with chronic renal disease . . . 211
granulosa-cell in ovary, produced by feeding mice with 9:10-dimethyl-1:2-benzanthracene or 20-methyl cholanthrene 111
HYPERSENSITIVITY, delayed in auto-immune myositis mediated by sensitised lymphocytes 169
HYPERTENSION, pineal gland weight similar in comparable hypertensive and normotensive patients . . . 31
HYPOXIA of aortic media probable cause of medial smooth-muscle necrosis and consequent thinning of media after experimental production of aortic thrombi in pig 205

ILLNESS, length of, possible effect on weight of pineal gland 31
INFECTION, marked susceptibility to of children with kwashiorkor possibly related to atrophy of lymphoreticular tissue 105
INFLAMMATORY REACTION to Ehrlich ascites tumour transplants possibly dependent on coating with specific antibody; if not coated, may not excite inflammatory reaction and so fail to grow . 95

PAGE

INFLAMMATORY REACTION of rainbow trout at 15°C not qualitatively different from response at 5°C, but certain responses—appearance of macrophages in muscle fibres, clearance of bacteria and necrotic tissue from lesions and advent of fibroplasia—appear at 15°C, in two-thirds of time at 5°C . . 257
INTESTINE, small and large intestine, haemangiomatosis with histological malignant change 295
INVOLUTION of thymus in rats and mice, multilocular fat present in thymus in. 223
ISOPRENALINE necrosis of rat myocardium reduced by previous myocardial infarction due to coronary ligation; effect maximal 48 hr after coronary ligation, still detectable at 2 wk . 279

KIDNEY, differentiated multilocular cystic nephroblastoma 215
Wilms' tumour of, myogenesis in . 269
KWASHIORKOR, lymphoreticular system in. 105

LIVER, cholesterol from probably responsible for high serum cholesterol and increased aortic lesions in rabbit immediately after withdrawal of cholesterol diet 229
nodular liver-cell carcinoma arising in early cirrhosis with three other simultaneous independent malignant tumours. 57
LUNG, guinea-pig, formation of asbestos bodies on chrysotile, crocidolite and amosite fibres in 159
LYMPH-GLANDS, reduction in size of lymphoid follicles and depletion of lymphocytes in paracortical areas in kwashiorkor 105
LYMPH-NODE permeability factor (LNPF) does not increase permeability of mucosal vessels when injected into lumen of rat small intestine . . 21
LYMPHOCYTES, crystalline structures in, possibly due to local disturbance in protein metabolism . . . 289
sensitised probably mediate auto-immune myositis in guinea-pigs and rats given injections of heterologous muscle homogenate and adjuvant . . 169
LYMPHORETICULAR SYSTEM in kwashiorkor. 105
LYSOSOMES in macrophages in granulomas in guinea-pigs produced by intrapleural injection of chrysotile often show no acid phosphatase activity; those from fibroblasts containing chrysotile do; possibly several kinds of lysosome . 153

MACROFOLLICULAR TUMOURS of granulosa cells in carcinogen-fed mice . . 111

PAGE

MACROPHAGES in chrysotile granulomas in guinea-pigs, lysosomes in often show no acid phosphatase activity . . 153
in nitrosoquinoline-induced granulomata in rats are of two populations (1) short-lived majority and (2) small group persisting for 4–5 wk; the multinucleate giant cells are formed by fusion of non-proliferating macrophages . 285
that have not undertaken phagocytosis, or had completely digested phagocytosed *Straphylococcus albus* or removed ingested colloidal gold develop into epithelioid cells; those failing to digest BCG do not . . 187
MICE, Cellophane strip technique for obtaining epithelioid cells from. . 187
Ehrlich ascites tumour cells growing intraperitoneally in mice with older subcutaneous implant of the same tumour have higher electrophoretic mobility than comparable cells from mice with only intraperitoneal tumour, possibly lack antibody coating . 95
granulosa-cell tumours of induced by feeding with 9:10-dimethyl-1:2-benzanthracene or 20-methyl cholanthrene 111
multilocular fat in involuting thymus of 223
sebaceous gland suppression test for carcinogenicity of substances painted on skin of 147
with intraperitoneal transplants of Ehrlich ascites tumour, survival time increased if given subcutaneous transplants 17 or 34 days before . . 85
MICROSOMES, liver of rats treated with phenobarbitone, metabolise lasiocarpine and heliotrine faster than those of untreated rats. 1
MITOSIS, areas of in aortic endothelium of guinea-pig 65
MIXED FOLLICULAR-MICRO-ACINAR TUMOUR of granulosa cells in carcinogen-fed mice 111
MONKEYS, patas (*Erythrocebus patas*) and rhesus (*Macaca mulatta*), peripheral neuropathy associated with vitamin-B_{12} deficiency in 125
MONONUCLEAR CELLS, non-steroid inflammatory drugs inhibit migration of to inflamed site, and also phagocytosis by 239
MUSCLE cell-cultures damaged by lymphocytes from animals given injections of heterologous muscle homogenates; damage not prevented by heparin or hydrocortisone or by pre-incubation of lymphocytes with 6-mercaptopurine, but is prevented by adding 6-mercaptopurine to cultures during incubation with lymphocytes 169

PAGE

MUSCLE cells, striated, in a Wilms' tumour of kidney, possibly cataplasia of renal blastema to somite stage . . . 269
smooth, in media of pig aorta, necrosis with consequent medial thinning and later aneurysm formation after experimental thrombosis . . . 205
MUSTARD OIL, effect on fenestrated vessels of rat small intestine to increase permeability of capillaries and venules in mucosa, apparently by direct injury to small blood vessels; most leakage through fenestrated vessels, not through fenestrae, but through reversible gaps between endothelial cells . 21
MYOGENESIS in a Wilms' tumour . . 269
MYOSITIS, auto-immune, in rats and guinea-pigs 169

NECROSIS of medial smooth muscle, with condensation of elastic laminae and medial thinning, with later aneurysm formation, in pig aorta after experimental thrombosis 205
shrinkage, a distinct form of cellular death 13
NEPHROBLASTOMA, differentiated multilocular cystic 215
NEUROPATHY, peripheral, in vitamin-B_{12} deficiency in captive monkeys . . 125
NITROSOQUINOLINE-induced granulomata in rats: autoradiographic study of macrophages and giant cells in . . 285

OBITUARIES—
William Goldie (portrait) . . . 69
Robert Wilfred Scarff (portrait) . . 75
Bertha Wheatley (portrait) . . . 83
OVARY, extra-uterine decidua in . . 219

PARATHYROID GLANDS, autonomous nodular hyperplasia of 211
PARENCHYMATOUS TUMOURS of granulosa cells in carcinogen-fed mice . 111
PHENOBARBITONE pretreatment of rats increases rate of metabolism of lasiocarpine and heliotrine by their liver microsomes, protects against acute and chronic toxicity of lasiocarpine, increases that of heliotrine . . 1
PIG, aorta, medial changes following thrombosis 205
PINEAL GLAND, adult weight maintained into old age, no histological evidence marked degeneration or massive calcification, glands from women under 60 yr heavier than those of comparable males, partly because of increased calcium content; weight greater in women dying within 2 days of illness than in patients with longer illnesses . 31

PAGE

PLEURISY, turpentine-induced, in rat, effect of non-steroidal anti-inflammatory drugs in mainly on later stages of development, probably inhibiting migration of mononuclear cells into inflammatory area 239
PREGNANCY, early development of vitamin-B_{12} deficiency in monkeys in . . 125
PYRROLIZIDINE ALKALOIDS, effect of sex, age and pretreatment with phenobarbitone on acute and chronic hepatotoxicity of lasiocarpine and heliotrine 1

RAT(S), action of non-steroidal inflammatory drugs in carrageenan foot-oedema and turpentine-induced pleurisy is probably to inhibit migration of mononuclear cells into inflammatory area 239
Cellophane strip technique for obtaining epithelioid cells from 187
ectopic cardiac transplant in, no evidence antibody deposition, except in damaged vessels; fate; morphological changes in 49
fenestrated vessels of small intestine, mustard oil damages directly to increase permeability, not through fenestrae, but through reversible gaps between endothelial cells . . 21
given injections of heterologous muscle homogenate in adjuvant develop muscle lesions; their lymphocytes are toxic to cultures of syngeneic muscle cells, but not to kidney cell cultures 169
multilocular fat in involuting thymus of. 223
myocardium, isoprenaline necrosis of reduced by infarction due to coronary ligation; effect maximal at 48 hr after coronary ligation, still detectable at 2 wk 279
nitrosoquinoline-induced granulomata in, nature of macrophage population and origin of multinucleate giant cells in 285
REGRESSION of subcutaneous implants of Ehrlich ascites carcinoma in mouse when mouse given intraperitoneal transplant subsequently 85
REMYELINATION may follow demyelination in nerves of monkeys with vitamin-B_{12}-deficiency neuropathy 125
REVIEWS OF BOOKS—
Rubidomycin: a new agent against cancer (ed. by J. Bernard, R. Paul, M. Boiron, Cl. Jacquillat and R. Maral) 227
The proliferation and spread of neoplastic cells (prepared for publication by Russell W. Cumley and others) . 227

PAGE

REVIEWS OF BOOKS—*continued*
Exploitable molecular mechanisms and neoplasia (arranged for publication by Russell W. Cumley and others) . 228

SCHWANN CELLS, random involvement of, progressing to axonal degeneration in severe cases main lesion in simian vitamin-B_{12} deficiency . . . 125
SEBACEOUS GLANDS, reduction in non-specific esterase activity in parallel with carcinogenicity of substances painted on skin to produce it . . 147
SECRETORY ACTIVITY of autonomous nodular hyperplastic parathyroid glands . 211
SERUM from myositic rats not cytotoxic to muscle cultures 169
SEX DIFFERENCE, male rats more resistant than females to hepatotoxic effect of lasiocarpine, more sensitive to that of heliotrine 1
weight of pineal gland in women under 60 yr greater than that of comparable males, partly because of higher calcium content 31
SHRINKAGE NECROSIS of atrophying liver cells involves cellular condensation with prolific budding to form Councilman bodies, capable of limited metabolic activity, ingested by parenchymal cells and histiocytes, degraded by lysosomal enzymes 13
SKIN TESTS with heterologous muscle homogenate positive in animals given injections of muscle homogenate with or without adjuvant 169
SPERMATIC CORD, hormonally inactive phaeochromocytoma of 283
SPLEEN, hamartoma associated with thrombocytopenia 62
lymphoid follicles show marked atrophy in kwashiorkor 105
"SPONGE" explanation of increased survival time of mice given subcutaneous implant of Ehrlich ascites carcinoma and, 17 or 34 days later, an intraperitoneal transplant of the same tumour 85, 95
STOMACH, adenocarcinoma with three other simultaneous independent primary malignant tumours 57

TAB vaccine injected alone into foot-pad of mice induces changes in foot-pad and draining lymphatic glands characteristic of antibody production; with added incomplete Freund's adjuvant changes are increased in intensity and duration, with plasma-cell nests in vicinity of draining lymphatic vessels, which show extensive perilymphangitis 291

PAGE

TEMPERATURE, effect on inflammation in rainbow trout 257
THROMBOCYTOPENIA associated with hamartoma of spleen 62
THROMBOSIS, experimental, in pig aorta, medial changes following . . 205
THYMUS, multilocular (brown) fat in, in association with involution . . 223
severe atrophy, with depletion of lymphocytes and Hassall's corpuscles in kwashiorkor 105
TOBACCO condensates, assay of carcinogenicity of by sebaceous gland suppression test 147
TRACHEA, adenoma, with three other simultaneous independent malignant tumours. 57
TRANSPLANT, heart, ectopic, in rat, no evidence antibody deposition in, except in damaged vessels; fate; morphological changes in . . 49
TROUT, rainbow (*Salmo gairdneri*), inflammatory response to killed *Staphylococcus albus* and to Freund's complete adjuvant at 5° and 15°C . . . 257
TUMOURS, ANIMAL, EXPERIMENTAL, cells of Ehrlich ascites tumour growing intraperitoneally in mice with older subcutaneous transplant of same tumour have higher electrophoretic mobility than those from mice without subcutaneous tumour, may lack antibody coating 95

PAGE

TUMOURS, ANIMAL, EXPERIMENTAL, granulosa-cell tumours of mice common in mice fed with 9:10-dimethyl-1:2-benzanthracene or 20-methyl cholanthrene 111
mice with subcutaneous transplants of Ehrlich ascites tumour survive intraperitoneal transplants of the tumour longer than normal mice do . . 85
TUMOURS, HUMAN, basal-cell carcinoma, crystalline structures in lymphocytes infiltrating stroma of . . . 289
differentiated multilocular cystic nephroblastoma 215
fibrogenesis and myogenesis in a Wilms' tumour 269
four primary malignant tumours, simultaneous occurrence . . . 57
hamartoma of spleen associated with thrombocytopenia 62
phaeochromocytoma of spermatic cord, no hormonal activity . . . 283

VESSELS, fenestrated, of rat small intestine, reaction to application of mustard oil; no reaction to histamine or LNPF injected into lumen . . . 21
VITAMIN-B_{12} deficiency in monkeys, peripheral neuropathy in . . . 125
-B_{12} deficiency, serum vitamin-B_{12} levels reduced in monkeys fed on vegetarian diets, particularly during pregnancy. 125

WILMS' TUMOUR, fibrogenesis and myogenesis in 269

INDEX OF AUTHORS

PAGE

ANDERSON, T. J., and BOYLE, I. T., autonomous nodular hyperplasia of the parathyroid glands . . . 211

APARICIO, S. R., HAMLETT, J. D., and LUMSDEN, C. E., light- and electron-microscope studies on experimentally induced tumours of the theca-granulosa cell series in the mouse . . 111

BARRY, D. H., HEALEY, P., and MAWDESLEY-THOMAS, L. E., the effect of some polycyclic hydrocarbons and tobacco condensates on non-specific esterase activity in sebaceous glands of mouse skin 147

BIGGS, ROSEMARY P., BONSER, GEORGIANA M., and WILLIS, R. A., obituary notice of William Goldie . . 69

BIRD, E. S., FRIEDMANN, I., and MICHAELS, L., crystalline structures in lymphocytes 289

BONSER, GEORGIANA M., BIGGS, ROSEMARY P., and WILLIS, R. A., obituary notice of William Goldie 69

BOTHAM, SUSAN K., and HOLT, P. F., development of asbestos bodies on amosite, chrysotile and crocidolite fibres in guinea-pig lungs . . 159

BOYLE, I. T., and ANDERSON, T. J., autonomous nodular hyperplasia of the parathyroid glands . . . 211

BRADLEY, J. P. W., WOOLF, N., and DAVIES, M. J., medial changes following thrombosis in the pig aorta . . . 205

CARTER, R. L., and ROBERTS, J. D. B., macrophages and multinucleate giant cells in nitrosoquinoline-induced granulomata in rats: an autoradiographic study 285

CHANDRA, SATYA V., ZAIDI, S. H., DOGRA, R. K. S., and SHANKER, RAVI, experimental farmer's lung in guinea-pigs 41

CURRIE, S., experimental myositis: the in-vivo and in-vitro activity of lymph-node cells 169

DAVIES, M. J., WOOLF, N., and BRADLEY, J. P. W., medial changes following thrombosis in the pig aorta . . 205

DAVIS, J. M. G., and SMITH, BEVERLY A., the association of phagocytosed asbestos dust with lysosome enzymes. 153

PAGE

DI ROSA, M., PAPADIMITRIOU, J. M., and WILLOUGHBY, D. A., a histopathological and pharmacological analysis of the mode of action of non-steroidal anti-inflammatory drugs . . 239

DOGRA, R. K. S., ZAIDI, S. H., SHANKER, RAVI, and CHANDRA, SATYA V., experimental farmer's lung in guinea-pigs 41

DOYLE, D., MURRAY-LYON, I. M., PHILPOTT, R. M., and PORTER, N. H., haemangiomatosis of the small and large bowel with histological malignant change 295

DUSEK, J., RONA, G., and KAHN, D. S., myocardial resistance to isoprenaline in rats: variations with time . . 279

EUSEBI, V., and MASSARELLI, G., phaeochromocytoma of the spermatic cord: report of a case . . . 283

FINN, J. P., and NIELSEN, N. O., the effect of temperature variation on the inflammatory response of rainbow trout 257

FOWLER, M., differentiated nephroblastoma: solid, cystic or mixed . . 214

FRIEDMANN, I., MICHAELS, L., and BIRD, E. S., crystalline structures in lymphocytes 289

GUPTA, P. P., TANDON, H. D., and RAMALINGASWAMI, V., further observations on the reversibility of experimentally induced atherosclerosis in rabbits 229

HALLERAKER, B., and HARTVEIT, FLORA, effect of subcutaneous transplants of Ehrlich carcinoma on the survival time of mice with intraperitoneal transplants of the same tumour. 85

HALLERAKER, B., and HARTVEIT, FLORA, interaction between subcutaneous and intraperitoneal transplants of the Ehrlich carcinoma; the possible role of anti-tumour antibody . . . 95

HAMLETT, J. D., APARICIO, S. R., and LUMSDEN, C. E., light- and electron-microscope studies on experimentally induced tumours of the theca-granulosa cell series in the mouse . . 111

PAGE

HARTVEIT, FLORA, and HALLERAKER, B., effect of subcutaneous transplants of Ehrlich carcinoma on the survival time of mice with intraperitoneal transplants of the same tumour. . . . 85

HARTVEIT, FLORA, and HALLERAKER, B., interaction between subcutaneous and intraperitoneal transplants of the Ehrlich carcinoma; the possible role of anti-tumour antibody . . . 95

HEALEY, P., MAWDESLEY-THOMAS, L. E., and BARRY, D. H., the effect of some polycyclic hydrocarbons and tobacco condensates on non-specific esterase activity in sebaceous glands of mouse skin 147

HOLT, P. F., and BOTHAM, SUSAN K., development of asbestos bodies on amosite, chrysotile and crocidolite fibres in guinea-pig lungs . . 159

HURLEY, J. V., and MCQUEEN, ARLIE, the response of the fenestrated vessels of the small intestine of rats to application of mustard oil 21

HUXLEY, MARIANNE, and TAPP, E., the weight and degree of calcification of the pineal gland 31

JAGO, MARJORIE V., factors affecting the chronic hepatotoxicity of pyrrolizidine alkaloids 1

JAMISON, D. G., the morphological response of lymphatic vessels to incomplete Freund adjuvant and typhoid-paratyphoid A and B vaccine . . 291

KAHN, D. S., DUSEK, J., and RONA, G., myocardial resistance to isoprenaline in rats: variations with time . . 279

KERR, J. F. R., shrinkage necrosis: a distinct mode of cellular death . . 13

KERTES, I., VARGA, G., and KOVÁCS, B., the simultaneous occurrence of four primary malignant tumours . . 57

KOVÁCS, B., VARGA, G., and KERTES, I., the simultaneous occurrence of four primary malignant tumours . . 57

LUMSDEN, C. E., HAMLETT, J. D., and APARICIO, S. R., light- and electron-microscope studies on experimentally induced tumours of the theca-granulosa cell series in the mouse . . 111

MCLEOD, J. W., obituary notice of Bertha Wheatley 83

MCQUEEN, ARLIE, and HURLEY, J. V., the response of the fenestrated vessels of the small intestine of rats to application of mustard oil . . . 21

PAGE

MACSWEEN, R. N. M., ONO, K., and THOMASON, CHARLOTTE M., immunological and histological studies of ectopic heart transplants in the rat . 49

MASSARELLI, G., and EUSEBI, V., phaeochromocytoma of the spermatic cord: report of a case 283

MAWDESLEY-THOMAS, L. E., HEALEY, P., and BARRY, D. H., the effect of some polycyclic hydrocarbons and tobacco condensates on non-specific esterase activity in sebaceous glands of mouse skin 147

MICHAELS, L., FRIEDMANN, I., and BIRD, E. S., crystalline structures in lymphocytes 289

MUGERWA, J. W., the lymphoreticular system in kwashiorkor . . . 105

MURRAY-LYON, I. M., DOYLE, D., PHILPOTT, R. M., and PORTER, N. H., haemangiomatosis of the small and large bowel with histological malignant change 295

NIELSEN, N. O., and FINN, J. P., the effect of temperature variation on the inflammatory response of rainbow trout 257

OKSANEN, A., multilocular fat in thymuses of rats and mice associated with thymus involution: a light- and electron-microscope and histochemical study 223

ONO, K., MACSWEEN, R. N. M., and THOMASON, CHARLOTTE M., immunological and histological studies of ectopic heart transplants in the rat . 49

OXNARD, C. E., TORRES, I., and SMITH, W. T., peripheral neuropathy associated with vitamin-B_{12} deficiency in captive monkeys . . . 125

PAPADIMITRIOU, J. M., DI ROSA, M., and WILLOUGHBY, D. A., a histopathological and pharmacological analysis of the mode of action of non-steroidal anti-inflammatory drugs . . . 239

PAPADIMITRIOU, J. M., and SPECTOR, W. G., the origin, properties and fate of epithelioid cells 187

PHILPOTT, R. M., MURRAY-LYON, I. M., DOYLE, D., and PORTER, N. H., haemangiomatosis of the small and large bowel with histological malignant change 295

PORTER, N. H., MURRAY-LYON, I. M., DOYLE, D., and PHILPOTT, R. M., haemangiomatosis of the small and large bowel with histological malignant change 295

PAGE

RAMALINGASWAMI, V., GUPTA, P. P., and TANDON, H. D., further observations on the reversibility of experimentally induced atherosclerosis in rabbits . 229
REWELL, R. E., extra-uterine decidua . 219
ROBERTS, J. D. B., and CARTER, R. L., macrophages and multinucleate giant cells in nitrosoquinoline-induced granulomata in rats: an autoradiographic study. 285
RONA, G., DUSEK, J., and KAHN, D. S., myocardial resistance to isoprenaline in rats: variations with time . . 279
ROSS, C. F., and SCHILLER, K. F. R., hamartoma of spleen associated with thrombocytopenia 62

SCHILLER, K. F. R., and ROSS, C. F., hamartoma of spleen associated with thrombocytopenia 62
SHANKER, RAVI, ZAIDI, S. H., DOGRA, R. K. S., and CHANDRA, SATYA V., experimental farmer's lung in guinea-pigs 41
SMITH, BEVERLY A., and DAVIS, J. M. G., the association of phagocytosed asbestos dust with lysosome enzymes. 153
SMITH, W. T., TORRES, I., and OXNARD, C. E., peripheral neuropathy associated with vitamin-B_{12} deficiency in captive monkeys 125
SPECTOR, W. G., and PAPADIMITRIOU, J. M., the origin, properties and fate of epithelioid cells 187

TANDON, H. D., GUPTA, P. P., and RAMALINGASWAMI, V., further observations on the reversibility of experimentally induced atherosclerosis in rabbits 229

PAGE

TAPP, E., and HUXLEY, MARIANNE, the weight and degree of calcification of the pineal gland 31
THACKRAY, A. C., obituary notice of Robert Wilfred Scarff 75
THOMASON, CHARLOTTE M., MACSWEEN, R. N. M., and ONO, K., immunological and histological studies of ectopic heart transplants in the rat . . 49
TORRES, I., SMITH, W. T., and OXNARD, C. E., peripheral neuropathy associated with vitamin-B_{12} deficiency in captive monkeys 125
TREMBLAY, M., ultrastructure of a Wilms' tumour and myogenesis . . . 269

VARGA, G., KOVÁCS, B., and KERTES, I., the simultaneous occurrence of four primary malignant tumours . . 57

WILLIS, R. A., BONSER, GEORGIANA M., and BIGGS, ROSEMARY P., obituary notice of William Goldie . . 69
WILLOUGHBY, D. A., DI ROSA, M., and PAPADIMITRIOU, J. M., a histopathological and pharmacological analysis of the mode of action of non-steroidal anti-inflammatory drugs . . . 239
WOOLF, N., DAVIES, M. J., and BRADLEY, J. P. W., medial changes following thrombosis in the pig aorta . . 205
WRIGHT, H. PAYLING, areas of mitosis in aortic endothelium of guinea-pigs . 65

ZAIDI, S. H., DOGRA, R. K. S., SHANKER, RAVI, and CHANDRA, SATYA V., experimental farmer's lung in guinea-pigs 41